

Page: 1 of 8

DOC ID: SWD-SDS-**PMG-040** REV. 00 EFF. DATE: 08/15/19 APPROVAL: MGMT. REP. <u>ON FILE</u>

1	APPROVAL: MGMT. REP. ON F
Product Code:	QS A
Product Code: Product Name: Company Name:	Quik-Shield A SWD URETHANE 539 S. Drew St. Mesa, AZ 85210,
Web site address: Emergency Contact:	www.swdurethane.com CHEMTREC (800) 424-9300
	2. HAZARDS IDENTIFICATION
Skin Corrosion/Irritation, Ca Skin Sensitization, Categor Serious Eye Damage/Eye Ir Acute Toxicity: Inhalation, Ca Respiratory Sensitization, C Carcinogenicity, Category 2	y 1 ritation, Category 2B Category 4 Category 1
GHS Signal Word:	Danger
GHS Hazard Phrases:	 H303 - May be harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H320 - Causes eye irritation. H332 - Harmful if inhaled. H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 - Suspected of causing cancer . H401 - Toxic to aquatic life.
GHS Precaution Phrases:	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapors/spray. P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P284 - Wear respiratory protection . P285 - In case of inadequate ventilation wear respiratory protection.
GHS Response Phrases:	 P302+352 - IF ON SKIN: Wash with plenty of soap and water. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P341 - If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+313 - IF exposed or concerned: Get medical attention/advice. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.



DOC ID: SWD-SDS-PMG-040				
REV. 00 EFF. DATE: 08/15/19				

	P342+311 - If experiencing respiratory symptoms call a POISON CENTER or doctor/physician. P362 - Take off contaminated clothing and wash before re-use.				
GHS Storage and Disposal Phrases:					
Inhalation:	Causes respiratory tract irritation.				
Skin Contact:	May be harmful if absorbed through the skin. Causes skin irritation.				
Eye Contact:	Causes eye irritation.				
Ingestion:	May be harmful if swallowed.				
3. CO	MPOSITION/INFORMATION ON INGREDIENTS				
CAS # Ingredients/Com	ponents Concentration				
9016-87-9 Polymeric diphen {Isocyanic acid, P	vlmethane diisocyanate 0.0 -100.0 %				
	4. FIRST AID MEASURES				
Emergency and First Aid Procedures:					
In Case of Inhalation:	If breathed in, move person into fresh air. If not breathing give artificial respiration.				
In Case of Skin Contact:	Wash off with soap and plenty of water. Consult a physician.				
In Case of Eye Contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.				
In Case of Ingestion:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.				
Signs and Symptoms Of Exposure:	Cough, Shortness of breath, Headache. Nausea. Vomiting, Pulmonary edema. Effects may be delayed.				
Note to Physician: Consult a physician. Show this safety data sheet to the doctor in attendance. Move o dangerous area.					
	5. FIRE FIGHTING MEASURES				
Flash Pt:	> 150.00 C Method Used: Closed Cup				
Explosive Limits:	LEL: UEL:				
Autoignition Pt:	NA				
• •	a:Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.				
Fire Fighting Instructions: Flammable Properties and	Wear self contained breathing apparatus for fire fighting if necessary.				
Hazards:					
Hazardous Combustion					
Products:					
	6. ACCIDENTAL RELEASE MEASURES				
Steps To Be Taken In Case Material Is Released Or Spilled:	Personal precautions. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Environmental precautions. Do not let product enter drains.				
	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.				
Licensed to SWD Urethane: MIRS M	SDS, (c) A V Systems, Inc. GHS forma				



	7. HANDLING AND STORAGE							
Precautions To Be Taken in Handling: Precautions To Be Taken in Storing:	Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.							
	Store under inert gas. Moisture sensitive.							
8. EXP	OSURE CONTROLS/PERSONAL PROTECTION							
CAS # Partial Chemical	Name OSHA TWA ACGIH TWA Other Limits							
9016-87-9 Polymeric diphen diisocyanate {Isoc	-							
Respiratory Equipment (Specify Type):	When the product is sprayed or heated without adequate ventilation, an approved MSHA/NIOSH positive-pressure, supplied air respirator may be required. Air purifying respirators equipped with organic vapor cartridges and HEPA (P100) particulate filter may be used under certain conditions when the cartridge change-out schedule has been developed in accordance with the OSHA respiratory protection standard (29 CFR 1910.134).							
Eye Protection:	Face shield and safety glasses.							
Protective Gloves:	Handle with gloves.							
Other Protective Clothing:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.							
Engineering Controls (Ventilation etc.):								
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.							
9.	PHYSICAL AND CHEMICAL PROPERTIES							
Physical States:	[]Gas [X]Liquid []Solid							
Appearance and Odor:	Slightly. Musty.							
pH: Malting Daints								
Melting Point: Boiling Point:	42.00 C - 45.00 C 200.00 C							
Flash Pt:	> 150.00 C Method Used: Closed Cup							
Evaporation Rate:								
Flammability (solid, gas):								
Explosive Limits:	LEL: UEL:							
Vapor Pressure (vs. Air or mm Hg):	1							
Vapor Density (vs. Air = 1):								
Specific Gravity (Water = 1):								
Density: Solubility in Water:	1.18 G/CM3							
Licensed to SWD Urethane: MIRS M	SDS, (c) A V Systems, Inc. GHS format							



Octanol/Water Partition	
Coefficient: Autoignition Pt:	ΝΑ
Decomposition Temperature	
Viscosity:	·
	10. STABILITY AND REACTIVITY
Stability:	Unstable [] Stable [X]
Conditions To Avoid -	Contact with moisture, other materials that react with isocyanates, or temperatures above
Instability:	350 °F (177 °C), may cause polymerization.
	Water. Amines, Strong bases, Alcohols.
Hazardous Decomposition of Byproducts:	r formed under fire conditions. Carbon oxides, nitrogen oxides (NOx).
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	
	11. TOXICOLOGICAL INFORMATION
Toxicological Information:	CAS# 9016-87-9: Not reported., LC50, Not reported., Rat, 490.0 MG/M3. Results: Behavioral: Somnolence (general depressed activity). Behavioral: Convulsions or effect on seizure threshold. - National Technical Information Service, Vol/p/yr: OTS05, 6728 Not reported., LD50, Dermal, Rat, 490.0 MG/L. Results: Behavioral: Somnolence (general depressed activity). Behavioral: Convulsions or effect on seizure threshold. Not reported., LC50, Not reported., Rat, 490.0 MG/M3. Results: Kidney, Ureter, Bladder:Renal function tests depressed. Blood:Other changes.
Irritation or Corrosion:	Serious eye damage/eye irritation: Eyes - rabbit - Moderate eye irritation.
Carcinogenicity/Other Information:	Carcinogenicity. This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.
	Limited evidence of carcinogenicity in animal studies. IARC: Group 3: Not classifiable as to its carcinogenicity to humans 3. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.



Page: 5 of 8

CAS #	Ingredients/C	omponents		NTP	IARC	ACGIH	OSHA
9016-87-9	Polymeric diph Poly	enylmethane diisocya	nate (Isocyanic aci	d,	3		
		12. ECO	LOGICAL IN	IFORMATI	ON		
Persistence a Degradability		No data availabl	e.				
Bioaccumula	tive Potential:	No data availabl	e.				
Mobility in So	oil:	No data availabl	e.				
		13. DISP	OSAL CONS	SIDERATIC	NS		
Waste Disposal Method: Product. Observe all federal, state, and local environmental professional waste disposal service to dispose of material with a combustible solvent and burn in a afterburner and scrubber.				this materia	al. Dissolve o	r mix the	
		Contaminated pa Dispose of as ur					
		14. TRA	NSPORT IN	FORMATIC	ON		
Additional ⁻ Information LAND TRANS DOT Prop	SPORT (US DO	Not regulated excent transported as: EN (Methylene Diphen) DT): Iame: Other regula	VIRONMENTALL yl Diisocyanate), (Y HAZARDOUS Class 9, UN308	S SUBSTAN 2, PG III, RO	ICES, LIQUII ຊ.	D, N.O.S.
DOT Haza UN/NA Nu	ard Class:	9 NA3082	CLASS 9	Packing Grou	-	III	
LAND TRANS	SPORT (Cana	dian TDG):					
TDG Shipp UN Numbe Hazard Cla MARINE TRA	oing Name: er:	Not Regulate 3082 9 - CLASS 9 DG/IMO):		Packing Grou TDG Classific	-	III	
	ORT (ICAO/IA A Shipping Na		ed.				



REV. 00 EFF. DATE: 08/15/19

		15. REGULATO	RY INFORMA	TION			
EPA SARA (S	uperfund Amen	dments and Reauthorization Ac	t of 1986) Lists				
CAS #	Ingredients/C	omponents	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
9016-87-9	Polymeric diph {Isocyanic acid	enylmethane diisocyanate I, Poly	No	No	Yes-Cat. N120		
CAS #	Ingredients/C	omponents	Other US EPA o	r State Lists			
9016-87-9	Polymeric diphenylmethane diisocyanate {Isocyanic acid, Poly		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8C, 8D TERM; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No				
CAS # 9016-87-9	Ingredients/Co Polymeric diph {Isocyanic acid	enylmethane diisocyanate		International Regulatory Lists Canadian DSL: Yes; Canadian NDSL: No			
Regulatory I	nformation:	This product contains cher Title III of the Superfund A CFR part 372.	•				
		Self-Contained Breathing Apparatus and full protective equipment. Isolate materials r yet involved in the fire and protect personnel. Move containers from fire area if this ca be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitve areas. Incipient fire responders should wear eye protection. Firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials r yet involved in the fire and protect personnel. Move containers from fire area if this ca be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitve areas.					
		16. OTHER I	NFORMATIO	N			
Revision Dat	te:	12/12/2018					
Additional In This Product	formation Abo	put					
Company Policy or Disclaimer:		our knowledge, and inform construed as a warranty, e the user to determine the a	recommendations in this publication are given to the best nation at the date of publication, nothing herein is to be expressed or otherwise. In all cases, it is the responsibility applicability of such information, and recommendations or or its own particular purpose.				
		The product may present h hazards are described in th the only hazards that exist. when used with other mate circumstances or other pro determined by the user and	his Safety Data She Hazards, toxicity erials and are deper cesses. Such haza	et, no guarantee i and behavior of th ndent upon the ma ards, toxicity and b	is made that these are e products may differ anufacturing behavior should be		
		NO PERSON OR ORGAN SHALL PROVIDE, OR MA DATA SHEETS FROM UN	KE AVAILABLE, D	ATA SHEETS FO	R SWD PRODUCTS.		
Licensed to SW/	Lirothono: MIRS	MSDS. (c) A V Systems. Inc.			GHS format		



DOC ID: SWD-SDS-**PMG-040** REV. 00 EFF. DATE: 08/15/19

THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF SWD. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET OR QUESTIONS REGARDING THIS DATA SHEET SHOULD BE DIRECTRED TO SWD AT 800-828-1394.



Page: 1 of 8

DOC ID: SWD-SDS-**PMG-106** REV. 00 EFF. DATE: 08/15/19 APPROVAL: MGMT. REP. <u>ON FILE</u>

1. PRODUCT AND COMPANY IDENTIFICATION				
Product Code: Product Name:	QS 106 B Quik-Shield 106 B			
Company Name:	SWD URETHANE 539 S. Drew St. Mesa, AZ 85210,			
Web site address:	www.swdurethane.com			
Emergency Contact:	CHEMTREC (800) 424-9300			
	2. HAZARDS IDENTIFICATION			
Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Skin Corrosion/Irritation, Ca	bry 5			
Serious Eye Damage/Eye Irr				
GHS Signal Word:	Danger			
GHS Hazard Phrases:	H302 - Harmful if swallowed.			
	H313 - May be harmful in contact with skin.			
	H314 - Causes severe skin burns and eye damage.			
	H320 - Causes eye irritation.			
	H402 - Harmful to aquatic life.			
GHS Precaution Phrases:	P264 - Wash hands thoroughly after handling.			
	P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment.			
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.			
GHS Response Phrases:	P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.			
	P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.			
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.			
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
	P337+313 - If eye irritation persists, get medical advice/attention. P363 - Wash contaminated clothing before reuse.			
GHS Storage and Disposal Phrases:	P405 - Store locked up.			
Inhalation:	Causes respiratory tract irritation. Material is extremely destructive to the tissue of the			
	mucous membranes and upper respiratory tract. Harmful if inhaled. Skin: May be harmfu if absorbed through skin. May cause skin irritation.			
Skin Contact:	May be harmful if absorbed through the skin. Causes skin irritation. Causes skin burns. Causes burns. Skin Absorption: Toxic if absorbed through skin.			
Eye Contact:	Causes eye irritation. Causes eye burns. Causes burns.			
Ingestion:	Harmful if swallowed. Harmful if swallowed.			
	Small intestine. Large intestine. Additional Information.			
Licensed to SWD Urethane: MIRS M	SDS, (c) A V Systems, Inc. GHS forma			



		RTECS: QJ6950000		
	3. CC	MPOSITION/INFOR	RMATION ON INGREDIENTS	
CAS #	Hazardous Com	ponents (Chemical Name)	Concentration	
NA	Halogenated Pho	osphate	40.0 -60.0 %	
NA	Amine Catalyst		2.0 -10.0 %	
		4. FIRST A	ID MEASURES	
Emergency Procedures	v and First Aid s:			
In Case of I	Inhalation:	If breathed in, move perso Consult a physician.	on into fresh air. If not breathing, give artificial respiration.	
In Case of S	Skin Contact:		enty of water. Consult a physician. Take off contaminated liately. In case of skin contact, flush with copious amounts of tes. Call a physician.	
In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician Continue rinsing eyes during transport to hospital. In case of contact with eyes, flush copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician. In case of contact, immediately eyes with copious amounts of water for at least 15 minutes.				
In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Do NOT induce vomiting. If swallowed, wash out mouth with w provided person is conscious. Call a physician immediately.				
Signs and Symptoms OfTo the best of our knowledge, the chemical, physical, and toxicological properExposure:not been thoroughly investigated.				
-	Exposure. Interfocuging investigated. Note to Physician: Consult a physician. Show this safety data sheet to the doctor in attendance. Move dangerous area.			
		5. FIRE FIGH	TING MEASURES	
Flash Pt:		> 400.00 F		
Explosive L	_imits:	LEL: UEL:		
Autoignitio	n Pt:			
Suitable Ex	tinguishing Medi		nical, carbon dioxide, or alcohol-resistant foam. Suitable: For media such as "alcohol" foam, dry chemical, or carbon dioxide r from as far as possible.	
Fire Fightin	ng Instructions:	Equipment: Wear self-con	hing apparatus for fire fighting if necessary. Protective tained breathing apparatus and protective clothing to prevent s. Specific Hazard(s): Emits toxic fumes under fire conditions.	
Flammable Hazards:	Properties and			
Hazardous Products:	Combustion			
Licensed to SV	Uretnane: MIRS N	ISDS, (c) A V Systems, Inc.	GHS forma	



	6. ACCIDENTAL RELEASE MEASURES				
Steps To Be Taken In Case Material Is Released Or Spilled:	Personal precautions. Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Environmental precautions. Do not let product enter drains.				
	Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Evacuate personnel to safe areas. PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL. PROCEDURE(S) OF PERSONAL PRECAUTION(S) Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. Methods for cleaning up. Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Ventilate area and wash spill site after material pickup is complete.				
	7. HANDLING AND STORAGE				
Precautions To Be Taken in Handling:	Avoid inhalation of vapor or mist. Normal measures for preventive fire protection. User Exposure: Avoid contact with eyes, skin, and clothing.				
Precautions To Be Taken in Storing:Keep container tightly closed in a dry and well-ventilated place. Containers which opened must be carefully resealed and kept upright to prevent leakage. Suitable away from heat and open flame. Store in a cool, dry place. Hygroscopic.					
8. EXP	OSURE CONTROLS/PERSONAL PROTECTION				
CAS # Partial Chemical	Name OSHA TWA ACGIH TWA Other Limits				
NA Halogenated Pho NA Amine Catalyst	sphate TLV: 0.05 ppm STEL: 0.15 ppm				
Respiratory Equipment (Specify Type):	If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). (EU). Hand: Compatible chemical-resistant gloves. is not required. Where protection is desired, use multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges.				
Eye Protection:	Face shield and safety glasses. Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Chemical safety goggles.				
Protective Gloves:	Handle with gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Hand: Compatible chemical-resistant gloves. Eyes: Chemical safety goggles.				
Other Protective Clothing:	Choose body protection according to the amount and concentration of the dangerous substance at the work place. Complete suit protecting against chemicals.				
Engineering Controls (Ventilation etc.):	Use only in a chemical fume hood. Safety shower and eye bath. Mechanical exhaust required.				
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash contaminated clothing before reuse.				



	EXPOSURE LIMITS, RTECS. Country Source Type Value. USA ACGIH TWA 0.05 PPM Remarks: Skin. STEL 0.15 PPM EXPOSURE LIMITS. USA TWA 0.05 ppm USA STEL 0.15 ppm	
9.	PHYSICAL AND CHEMICAL PROPERTIES	
Physical States:	[]Gas [X]Liquid []Solid	
Appearance and Odor:	Viscous. Musty.	
pH:		
Melting Point:		
Boiling Point:		
Flash Pt:	> 400.00 F	
Evaporation Rate:		
Flammability (solid, gas): Explosive Limits:	LEL: UEL:	
Vapor Pressure (vs. Air or mm Hg):	1	
Vapor Density (vs. Air = 1):		
Specific Gravity (Water = 1):		
Solubility in Water: Octanol/Water Partition Coefficient:		
Autoignition Pt:		
Decomposition Temperature: Viscosity:		
	10. STABILITY AND REACTIVITY	
Stability:	Unstable [] Stable [X]	
Conditions To Avoid - Instability:	No data available.	
Incompatibility - Materials To Avoid:	No dangerous reaction known under conditions of normal use. Avoid moisture. Avoid direct Sunlight. Avoid excessive temperatures. Mineral acids, acids (organic, sodium hypochlorite). Corrodes metal.	
Hazardous Decomposition or Byproducts:	formed under fire conditions. Carbon oxides, Phosphorous oxides, Hydrogen chloride gas, Thermal decomposition 244 °C nitrogen oxides (NOx), Carbon monoxide, Carbon dioxide, Nitrogen oxides, Ammonia, Nitric acid.	
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]	
Conditions To Avoid - Hazardous Reactions:		
Licensed to SWD Urethane: MIRS MS	SDS, (c) A V Systems, Inc. GHS for	rmat



GHS format

DOC ID: SWD-SDS-**PMG-106** REV. 00 EFF. DATE: 08/15/19

11. TOXICOLOGICAL INFORMATION								
Toxicological Information: CAS# NA:								
		Acute toxicity, LD50, Oral, Rat, 3600. MG/KG.						
		Results: Behavioral: Somnolence (general depressed activity).						
		Behavioral: Tremor.						
		Lungs, Thorax, or Respiration:C	-					
		- National Technical Informatior	n Service, Vol/p/yı	:: OTS05, 77	713			
		Acute toxicity, LD50, Intravenous, Mouse, 56.00 MG/KG. Results:						
		Behavioral: Food intake (animal).						
		Nutritional and Gross Metabolic:Weight loss or decreased weight gain.						
		- U.S. Army Armament Researce Laboratory, NIOSH Exchange C Proving Ground, MD 21010, Vo	Chemicals., Aberd		•			
		Skin corrosion/irritation, Skin se quantities of materials with critic Rabbit, 0.000 , Mild. Results:				-		
		Sense Organs and Special Sen Behavioral: Tremor.		Ear, and Tas	ste):Eye:Lacri	mation.		
		Lungs, Thorax, or Respiration:C	-					
Irritation or	Corrosion:	Skin - rabbit - Mild skin irritation						
		Serious eye damage/eye irritation: Skin - rabbit - Corrosive.						
		Eyes - rabbit - Severe eye irritation.						
Carcinogeni	-	Carcinogenicity.						
Information:		IARC: No component of this pro- identified as probable, possible ACGIH: No component of this pro- identified as a carcinogen or po NTP: No component of this pro- identified as a known or anticipa OSHA: No component of this pro-	or confirmed hum product present at tential carcinoger duct present at lev ated carcinogen b roduct present at	nan carcinog levels great by ACGIH. vels greater y NTP. levels greate	en by IARC. er than or eq than or equal	ual to 0.1% is to 0.1% is		
CAC #		identified as a carcinogen or po	-	-		00114		
CAS #		nponents (Chemical Name)	NTP	IARC	ACGIH	OSHA		
NA NA	Halogenated Phe Amine Catalyst	osphate						
	Amme Catalyst							
		12. ECOLOGICAL						
Persistence and Degradability:		No data available. Biodegradability:						
Bioaccumulative Potential:		No data available.						
Mobility in Soil:		No data available.						
						0110		

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.



		13. DISPOSAL C	CONSIDERAT	IONS		
Waste Disposal Method:		Product. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.				
		Contaminated packaging. Dispose of as unused product. Offer surplus and non-recyclable solutions to a licensed disposal company. APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber.				
		14. TRANSPOR	RT INFORMA ⁻	ΓΙΟΝ		
GHS Classi	fication:	Acute Toxicity: Skin, Catego Skin Corrosion/Irritation, C damage	ory 4 - Warning! Harmful if swallowed Jory 5 - Warning! May be harmful in contact with skin ategory 1A-1C - Danger! Causes severe skin burns and eye Irritation, Category 2B - Warning! Causes eye irritation			
LAND TRAN	NSPORT (US DOT)	:		_		
	zard Class:	ne: Not Regulated.				
LAND TRAI	NSPORT (Canadia	n TDG):				
TDG Shipping Name: UN Number: Hazard Class:		Not Regulated. TDG Classification:				
	NSPORT (Europea	n ADR/RID):				
ADR/RII UN Num Hazard (D Shipping Name: Iber: Class:	Not dangerous goods.				
	RANSPORT (IMDG	•				
AIR TRANSPORT (ICAO/IAT		ne: Not Regulated.				
ICAO/IATA Shipping Nam						
		15. REGULATO	RY INFORMA	TION		
EPA SARA (Superfund Amendm	ents and Reauthorization Ac	t of 1986) Lists			
CAS #		conents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
NA NA	Halogenated Phos Amine Catalyst	spnate	No No	No No	No No	
	-					
CAS #	Hazardous Components (Chemical Name)					
NA	IA Halogenated Phosphate CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8D TERM; CA PROP.65: No; CA TAC, Title MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No Air: No				: No; CA TAC, Title 8: No; 5: No; NC TAP: No; NJ	
NA	Amine CatalystCAA HAP,ODC: No; CWA NPDES: No; TSCA Inventory; CA PROP.65: No; CA TAC, Title 8: Oil/HazMat: No; MI CMR, Part 5: No; NC TAF No; NY Part 597: No; PA HSL: No; SC TAP:			AC, Title 8: No; MA o; NC TAP: No; NJ EHS:		



CAS #	S # Hazardous Components (Chemical Name)		International Regulatory Lists		
NA			Canadian DSL: Yes; Canadian NDSL: No		
NA	Amine Catalyst		Canadian DSL: Yes; Canadian NDSL: No		
Regulatory Information:		This product contains no chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 40 CFR part 372.			
		16. OTHER IN	IFORMATION		
Revision Da	te:	03/09/2017			
Additional Ir This Produc	nformation About t:	t			
Company Po Disclaimer:	olicy or	While the information and recommendations in this publication are given to the best of our knowledge, and information at the date of publication, nothing herein is to be construed as a warranty, expressed or otherwise. In all cases, it is the responsibility of the user to determine the applicability of such information, and recommendations or the suitability of any product for its own particular purpose. The product may present hazards and should be used with caution. While certain			
		hazards are described in this the only hazards that exist. when used with other materic circumstances or other proc	zards and should be used with caution. While certain s Safety Data Sheet, no guarantee is made that these are Hazards, toxicity and behavior of the products may differ ials and are dependent upon the manufacturing esses. Such hazards, toxicity and behavior should be made known to handlers, processors and end users.		
		SHALL PROVIDE, OR MAK DATA SHEETS FROM UNA THAT IS NO LONGER CUR MAY BE REPRODUCED OF WITHOUT THE WRITTEN F PERMISSION TO REPROD	CATION EXCEPT A DULY AUTHORIZED SWD EMPLOYEE E AVAILABLE, DATA SHEETS FOR SWD PRODUCTS. AUTHORIZED SOURCES MAY CONTAIN INFORMATION RENT OR ACCURATE. NO PART OF THIS DATA SHEET R TRANSMITTED IN ANY FORM, OR BY ANY MEANS, PERMISSION OF SWD. ALL REQUESTS FOR UCE MATERIAL FROM THIS DATA SHEET OR THIS DATA SHEET SHOULD BE DIRECTRED TO SWD AT		