



SAFETY DATA SHEET

Quik-Shield A

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: QS A
Product Name: Quik-Shield A
Trade Name: Quik-Shield
Company Name: SWD URETHANE
 539 S. Drew St.
 Mesa, AZ 85210,
Web site address: www.swdurethane.com
Emergency Contact: CHEMTREC
 (800) 424-9300

2. HAZARDS IDENTIFICATION

Acute Toxicity: Oral, Category 5
Skin Corrosion/Irritation, Category 2
Skin Sensitization, Category 1
Serious Eye Damage/Eye Irritation, Category 2A
Acute Toxicity: Inhalation, Category 1
Acute Toxicity: Inhalation, Category 2
Respiratory Sensitization, Category 1
Carcinogenicity, Category 2
Aquatic Toxicity (Acute), Category 2



GHS Signal Word: **Danger**

GHS Hazard Phrases: H303 - May be harmful if swallowed.
 H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H319 - Causes serious eye irritation.
 H330 - Fatal if inhaled.
 H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H351 - Suspected of causing cancer state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard.
 H371 - May cause damage to organs .
 H401 - Toxic to aquatic life.

GHS Precaution Phrases: P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P284 - Wear respiratory protection .
 Wear respiratory protection.

P310 - Immediately call a POISON CENTER or doctor/physician.

GHS Response Phrases: No phrases apply.

GHS Storage and Disposal Phrases: No phrases apply.



SAFETY DATA SHEET

Quik-Shield A

Potential Health Effects**(Acute and Chronic):**

Inhalation: May be fatal if inhaled. Causes respiratory tract irritation.

Skin Contact: May be harmful if absorbed through the skin. Causes skin irritation.

Eye Contact: Causes eye irritation.

Ingestion: May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	30.0 -60.0 %
NA	MDI, mixed isomers	30.0 -60.0 %

4. FIRST AID MEASURES

Emergency and First Aid**Procedures:**

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing give artificial respiration.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Signs and Symptoms Of Exposure: Cough, Shortness of breath, Headache. Nausea. Vomiting, Pulmonary edema. Effects may be delayed.

Note to Physician: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

5. FIRE FIGHTING MEASURES

Flash Pt: 113.00 C Method Used: Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: NA

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary.

Flammable Properties and Hazards: No data available.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:

Personal precautions.
Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
Environmental precautions.
Do not let product enter drains.

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.



7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place. Recommended storage temperature: 2 - 8 deg.C. Store under inert gas. Moisture sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	CEIL: 0.02 ppm	TLV: 0.005 ppm	No data.
NA	MDI, mixed isomers	No data.	No data.	No data.

Respiratory Equipment (Specify Type): Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye Protection: Face shield and safety glasses.

Protective Gloves: Handle with gloves.

Other Protective Clothing: Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Engineering Controls (Ventilation etc.): No data available.

Work/Hygienic/Maintenance Practices: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Slightly. Musty.

Melting Point: 42.00 C - 45.00 C

Boiling Point: 200.00 C

Autoignition Pt: NA

Flash Pt: 113.00 C Method Used: Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): No data.

Density: 1.18 G/CM3

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate: No data.

Solubility in Water: No data.



Percent Volatile: No data.

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: No data available.
Incompatibility - Materials To Avoid: Water. Amines, Strong bases, Alcohols.
Hazardous Decomposition Or Byproducts: formed under fire conditions. Carbon oxides, nitrogen oxides (NOx).
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information: No data available.
Irritation or Corrosion: Serious eye damage/eye irritation:
Eyes - rabbit - Moderate eye irritation.
Carcinogenicity/Other Information: Carcinogenicity.
 This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

 Limited evidence of carcinogenicity in animal studies.
 IARC: Group 3: Not classifiable as to its carcinogenicity to humans 3.
 ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	n.a.	3	n.a.	n.a.
NA	MDI, mixed isomers	n.a.	3	n.a.	n.a.

12. ECOLOGICAL INFORMATION

Persistence and Degradability: No data available.
Bioaccumulative Potential: No data available.
Mobility in Soil: No data available.



13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Product.
Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging.
Dispose of as unused product.

14. TRANSPORT INFORMATION

GHS Classification: Acute Toxicity: Oral, Category 5 - Warning! May be harmful if swallowed
Skin Corrosion/Irritation, Category 2 - Warning! Causes skin irritation
Skin Sensitization, Category 1 - Warning! May cause an allergic skin reaction
Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation
Acute Toxicity: Inhalation, Category 1 - Danger! Fatal if inhaled
Acute Toxicity: Inhalation, Category 2 - Danger! Fatal if inhaled
Respiratory Sensitization, Category 1 - Danger! May cause allergy or asthma symptoms or breathing difficulties if inhaled
Carcinogenicity, Category 2 - Warning! Suspected of causing cancer
Aquatic Toxicity (Acute), Category 2 - Toxic to aquatic life

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:
DOT Hazard Class:
UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name:
UN Number:
Hazard Class: **TDG Classification:**

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name:
UN Number:
Hazard Class:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	No	Yes 5000 LB	Yes-Cat. N120
NA	MDI, mixed isomers	No	No	Yes-Cat. N120

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Inventory, 8C; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: No; MI CMR, Part 5: Part 5; NC TAP: Yes; NJ EHS: Yes - 1253; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: Yes; WI Air: Yes
NA	MDI, mixed isomers	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory, 8C, 8D TERM; CA PROP.65: No; CA TAC, Title 8: No; MA



SAFETY DATA SHEET

Quik-Shield A

Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 4140; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	Canadian DSL: Yes; Canadian NDSL: No
NA	MDI, mixed isomers	Canadian DSL: Yes; Canadian NDSL: No

Regulatory Information: This product contains chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372.

CAS# 101-68-8, Methylene diphenyl diisocyanate, MDI: 30 - 60%
CAS# n/a, MDI, mixed isomers: 30 - 60%

16. OTHER INFORMATION

Revision Date: 02/03/2014

Additional Information About This Product: No data available.

Company Policy or Disclaimer: While the information and recommendations in this publication are given to the best of our knowledge, and information at the date of publication, nothing herein is to be construed as a warranty, expressed or otherwise. In all cases, it is the responsibility of the user to determine the applicability of such information, and recommendations or the suitability of any product for its own particular purpose.

The product may present hazards and should be used with caution. While certain hazards are described in this Safety Data Sheet, no guarantee is made that these are the only hazards that exist. Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED SWD EMPLOYEE SHALL PROVIDE, OR MAKE AVAILABLE, DATA SHEETS FOR SWD PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF SWD. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET OR QUESTIONS REGARDING THIS DATA SHEET SHOULD BE DIRECTED TO SWD AT 800-828-1394.



SAFETY DATA SHEET

Quik-Shield 106 B

Page: 1

Printed: 02/04/2014

Revision: 02/03/2014

Supersedes Revision: 10/15/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: QS 106 B
Product Name: Quik-Shield 106 B
Trade Name: Quik-Shield
Company Name: SWD URETHANE
539 S. Drew St.
Mesa, AZ 85210,
Web site address: www.swdurethane.com
Emergency Contact: CHEMTREC
(800) 424-9300

2. HAZARDS IDENTIFICATION

Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 5
Skin Corrosion/Irritation, Category 1A
Serious Eye Damage/Eye Irritation, Category 2B
Aquatic Toxicity (Acute), Category 3
Acute Toxicity: Oral, Category 5
Skin Corrosion/Irritation, Category 1B
Skin Corrosion/Irritation, Category 1C



GHS Signal Word: **Danger**

GHS Hazard Phrases: H302 - Harmful if swallowed.
H313 - May be harmful in contact with skin.
H316 - Causes mild skin irritation.
H320 - Causes eye irritation.
H402 - Harmful to aquatic life. H303+313 - May be harmful if swallowed or in contact with skin.
H314 - Causes severe skin burns and eye damage.

GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment.
P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P330 - Rinse mouth.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: No phrases apply.

GHS Storage and Disposal Phrases: No phrases apply.



SAFETY DATA SHEET

Quik-Shield 106 B

Potential Health Effects**(Acute and Chronic):**

Inhalation: Causes respiratory tract irritation. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Harmful if inhaled. Skin: May be harmful if absorbed through skin. May cause skin irritation.

Skin Contact: May be harmful if absorbed through the skin. Causes skin irritation. Causes skin burns. Causes burns. Skin Absorption: Toxic if absorbed through skin.

Eye Contact: Causes eye irritation. Causes eye burns. Causes burns.

Ingestion: Harmful if swallowed. Harmful if swallowed.

Small intestine. Large intestine. Additional Information.
RTECS: QJ6950000

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
NA	Halogenated Phosphate	40.0 -60.0 %
NA	Amine Catalyst	2.0 -10.0 %

4. FIRST AID MEASURES

Emergency and First Aid**Procedures:**

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician. Take off contaminated clothing and shoes immediately. In case of skin contact, flush with copious amounts of water for at least 15 minutes. Call a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital. In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician. In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Do NOT induce vomiting. If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately.

Signs and Symptoms Of Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Cough, Headache. Nausea.

Skin rash. Damage to the liver. Asthma. Gastrointestinal disturbances. Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Prolonged or repeated exposure can cause: Central nervous system depression.

Note to Physician:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.



5. FIRE FIGHTING MEASURES

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Suitable: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary. Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions.

Flammable Properties and Hazards: No data available.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Personal precautions.
Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.
Environmental precautions.
Do not let product enter drains.

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Evacuate personnel to safe areas.

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL. PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.
Methods for cleaning up.
Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.
Ventilate area and wash spill site after material pickup is complete.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Avoid inhalation of vapor or mist.
Normal measures for preventive fire protection. User Exposure: Avoid contact with eyes, skin, and clothing.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Suitable: Keep away from heat and open flame. Store in a cool, dry place. Hygroscopic.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
NA	Halogenated Phosphate	No data.	No data.	No data.
NA	Amine Catalyst	No data.	TLV: 0.05 ppm STEL: 0.15 ppm	No data.



SAFETY DATA SHEET

Quik-Shield 106 B

Respiratory Equipment (Specify Type):	If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). (EU). Hand: Compatible chemical-resistant gloves. is not required. Where protection is desired, use multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges.
Eye Protection:	Face shield and safety glasses. Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Chemical safety goggles.
Protective Gloves:	Handle with gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Hand: Compatible chemical-resistant gloves. Eyes: Chemical safety goggles.
Other Protective Clothing:	Choose body protection according to the amount and concentration of the dangerous substance at the work place. Complete suit protecting against chemicals.
Engineering Controls (Ventilation etc.):	Use only in a chemical fume hood. Safety shower and eye bath. Mechanical exhaust required.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

EXPOSURE LIMITS, RTECS.

Country Source Type Value.

USA ACGIH TWA 0.05 PPM

Remarks: Skin.

STEL 0.15 PPM

EXPOSURE LIMITS.

USA TWA 0.05 ppm

USA STEL 0.15 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid	
Appearance and Odor:	Viscous. Musty.	
Melting Point:	No data.	
Boiling Point:	No data.	
Autoignition Pt:	No data.	
Flash Pt:	No data.	
Explosive Limits:	LEL: No data.	UEL: No data.
Specific Gravity (Water = 1):	No data.	
Vapor Pressure (vs. Air or mm Hg):	No data.	
Vapor Density (vs. Air = 1):	No data.	
Evaporation Rate:	No data.	
Solubility in Water:	No data.	
Percent Volatile:	No data.	



10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: No data available.

Incompatibility - Materials To Avoid: Strong oxidizing agents, acids, Mineral acids, acids (organic, sodium hypochlorite). Corrodes metal.

Hazardous Decomposition Or Byproducts: formed under fire conditions. Carbon oxides, Phosphorous oxides, Hydrogen chloride gas, Thermal decomposition 244 °C nitrogen oxides (NOx), Carbon monoxide, Carbon dioxide, Nitrogen oxides, Ammonia, Nitric acid.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions: No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information: No data available.

Irritation or Corrosion: CAS# NA:
Acute toxicity, LD50, Oral, Rat, 3600. MG/KG.
Results:
Behavioral: Somnolence (general depressed activity).
Behavioral: Tremor.
Lungs, Thorax, or Respiration:Other changes.
- National Technical Information Service, Vol/p/yr: OTS05, 7713

Acute toxicity, LD50, Intravenous, Mouse, 56.00 MG/KG.
Results:
Behavioral: Food intake (animal).
Nutritional and Gross Metabolic:Weight loss or decreased weight gain.
- U.S. Army Armament Research & Development Command, Chemical Systems Laboratory, NIOSH Exchange Chemicals., Aberdeen Proving Ground,, Aberdeen Proving Ground, MD 21010, Vol/p/yr: NX#, 5768

Skin corrosion/irritation, Skin sensitization, Skin, Rabbit, 0.000 , Mild.
Results:
Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation.
Behavioral: Tremor.
Lungs, Thorax, or Respiration:Cyanosis.
Skin - rabbit - Mild skin irritation - 24 h.
Serious eye damage/eye irritation:
Skin - rabbit - Corrosive.
Eyes - rabbit - Severe eye irritation.

Carcinogenicity/Other Information: Carcinogenicity.
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.



SAFETY DATA SHEET

Quik-Shield 106 B

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
NA	Halogenated Phosphate	n.a.	n.a.	n.a.	n.a.
NA	Amine Catalyst	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

Persistence and Degradability:	No data available.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:	<p>Product.</p> <p>Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.</p> <p>Contaminated packaging.</p> <p>Dispose of as unused product. Offer surplus and non-recyclable solutions to a licensed disposal company. APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber.</p>
-------------------------------	---

14. TRANSPORT INFORMATION

GHS Classification:	<p>Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed</p> <p>Acute Toxicity: Skin, Category 5 - Warning! May be harmful in contact with skin</p> <p>Skin Corrosion/Irritation, Category 1A - Danger! Causes severe skin burns and eye damage</p> <p>Serious Eye Damage/Eye Irritation, Category 2B - Warning! Causes eye irritation</p> <p>Aquatic Toxicity (Acute), Category 3 - Harmful to aquatic life</p> <p>Acute Toxicity: Oral, Category 5 - Warning! May be harmful if swallowed</p> <p>Skin Corrosion/Irritation, Category 1B - Danger! Causes severe skin burns and eye damage</p> <p>Skin Corrosion/Irritation, Category 1C - Danger! Causes severe skin burns and eye damage</p>
----------------------------	--

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name:

UN Number:

Hazard Class: **TDG Classification:**

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not dangerous goods.

UN Number:

Hazard Class:



SAFETY DATA SHEET

Quik-Shield 106 B

MARINE TRANSPORT (IMDG/IMO):**IMDG/IMO Shipping Name:** Not dangerous goods.**AIR TRANSPORT (ICAO/IATA):****ICAO/IATA Shipping Name:** UN Number: 2927 Hazard Class: 6.1 Packing Group: II. Non-Hazardous for Air Transport: Non-hazardous for air transport. Not dangerous goods.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
NA	Halogenated Phosphate	No	No	No
NA	Amine Catalyst	No	No	No

CAS # Hazardous Components (Chemical Name)**Other US EPA or State Lists**

NA	Halogenated Phosphate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory, 8D TERM; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
NA	Amine Catalyst	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 3195; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: Yes

CAS # Hazardous Components (Chemical Name)**International Regulatory Lists**

NA	Halogenated Phosphate	Canadian DSL: Yes; Canadian NDSL: No
NA	Amine Catalyst	Canadian DSL: Yes; Canadian NDSL: No

Regulatory Information: This product contains no chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 40 CFR part 372.

16. OTHER INFORMATION

Revision Date: 02/03/2014**Additional Information About This Product:** No data available.**This Product:****Company Policy or****Disclaimer:**

While the information and recommendations in this publication are given to the best of our knowledge, and information at the date of publication, nothing herein is to be construed as a warranty, expressed or otherwise. In all cases, it is the responsibility of the user to determine the applicability of such information, and recommendations or the suitability of any product for its own particular purpose.

The product may present hazards and should be used with caution. While certain hazards are described in this Safety Data Sheet, no guarantee is made that these are the only hazards that exist. Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED SWD EMPLOYEE SHALL PROVIDE, OR MAKE AVAILABLE, DATA SHEETS FOR SWD PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS,



SAFETY DATA SHEET

Quik-Shield 106 B

Page: 8

Printed: 02/04/2014

Revision: 02/03/2014

Supersedes Revision: 10/15/2013

WITHOUT THE WRITTEN PERMISSION OF SWD. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET OR QUESTIONS REGARDING THIS DATA SHEET SHOULD BE DIRECTED TO SWD AT 800-828-1394.